

World's Fastest Derivation of the Lorentz Transformation¹

Alan Macdonald

Luther College, Decorah, IA 52101, U.S.A.

<http://faculty.luther.edu/~macdonal>

macdonal@luther.edu


Assume:

(A) The speed of light is the same in all inertial frames. (Take $c = 1$.)

(B) A clock moving with constant velocity v in an inertial frame I runs at a constant rate $\gamma = \gamma(|v|)$ with respect to the synchronized clocks of I which it passes.

Assumption (B) follows directly from the relativity principle. We do not assume that the Lorentz transformation is linear.

In the figure, E is an arbitrary event plotted in an inertial frame I , $L+$ and $L-$ are the two light worldlines through E , and O is the worldline of the spatial origin of an inertial frame I' moving with velocity v in I . On O ,



$$X' = 0, \quad X = vT, \quad \text{and} \quad T = \gamma T'.$$

Thus on O ,

$$T + X = \gamma(1 + v)(T' + X') \quad (1)$$

$$T - X = \gamma(1 - v)(T' - X'). \quad (2)$$

Since $c = 1$ in I , an increase in T along $L-$ is accompanied by an equal decrease in X . Thus $T + X$ is the same at E and F . Likewise, since $c = 1$ in I' , $T' + X'$ is the same at E and F . Thus Eq. (1), which is true at F , is also true at E . Similar reasoning using $L+$ proves Eq. (2) true at E . Add and subtract Eqs. (1) and (2):

$$T = \gamma(T' + vX') \quad (3)$$

$$X = \gamma(vT' + X'). \quad (4)$$

For $X = 0$ in Eq. (4), $X' = -vT'$; the origin of I has velocity $-v$ in I' .² Thus, switching I and I' and using (B), the reasoning for Eq. (1) also gives $T' + X' = \gamma(1 - v)(T + X)$. Substituting this in Eq. (1) gives $\gamma = (1 - v^2)^{-\frac{1}{2}}$.

¹Improved from Am. J. Phys. **49** 493 (1981).

²This *reciprocity principle*, just proved, is often assumed.